

**11D PAM 1-201
COMMAND INSPECTION CHECKLIST**

| | | |
|--|--|-------------------------------|
| FUNCTIONAL AREA: Medical | CHAPTER: 5 SECTION: I | DATE OF REVISION: 1 SEP 02 |
| PROPONENT/PHONE NO: Division Surgeon 350-3334/3329 | PROGRAM/ACTIVITY/TOPIC (PAT) Combat Lifesaver | UNIT INSPECTED/DATE: |

| ITEM | GO | NO-GO |
|--|----|-------|
| <p>A: References: Are the following references on hand or available?</p> <ol style="list-style-type: none"> 1. AR 40-5, Oct 90, Preventive Medicine. 2. AR 40-61, Jan 95, Medical Logistics Policies and Procedures. 3. AR 350-41, Mar 93, Training in Units. 4. DA PAM 350-59, Oct 00, Army Correspondence Course Program Catalog. 5. USAREUR Reg 350-1, Nov 00, Training in USAREUR. 6. FM 8-285, Dec 95, Treatment of Chemical Agent Casualties and Conventional Military Chemical Casualties. 7. FM 21-10, Jun 00, Field Hygiene and Sanitation. 8. FM 21-11, Oct 88, w/ch 2, Dec 91, First Aid for Soldiers. 9. STP 21-1-SMCT, Oct 94, Soldiers Manual of Common Tasks. 10. V Corps Policy Memorandum # 27, Jan 98, Supply Discipline and Accountability of the Combat Lifesaver (CLS) Medical Equipment Set (MES). 11. 11D Regulation 40-3, Aug 00, Combat Lifesaver. 12. 11D PAM 25-2, Apr 96, Information Management. <p>B. Specific Questions:</p> <ol style="list-style-type: none"> 1. Does the unit maintain one (1) combat lifesaver per squad, crew, team, or equivalent sized unit or more as deemed necessary by the unit commander (Memorandum For Record must be available and signed by current unit commander. If the unit has CLS training scheduled within 90 days of the inspection, this will bring the unit into compliance, and the unit will receive a "GO" rating) (11D Reg 40-3, 11-1)? 2. Is there a system to identify, monitor and track CLS personnel requirements (11D Reg 40-3, 6-1)? 3. Does the unit document and track CLS training and recertification (Certificate of Training for initial and recertification training must be available) (11D Reg 40-3, 6-1)? 4. Does unit include Combat Lifesaver on the inprocessing checklist to ensure incoming CLS's meet recertification training (11D Reg 40-3, 11-1)? 5. Does the unit have a system to ensure CLS personnel are recertified annually (11D Reg 40-3, 6-1 (g))? 6. Does the unit have a sufficient number of CLS MES (aid bags) on hand to support one (1) per squad, crew, team, or equivalent sized unit as deemed necessary by the unit commander (NOTE: should match number in question # 1) (11D Reg 40-3, 12-1)? | | |

| ITEM | GO | NO-GO |
|---|----|-------|
| <p>7. Is packing list maintained in the CLS MES (aid bag) and are stockage levels maintained IAW packing list (IID Reg 40-3, 12-1)?</p> <p>8. Are CLS MES (aid bags) on commanders property book and sub hand-receipted from the primary hand receipt holder (unit commander) to user level (Combat Lifesaver) on a DA Form 2062 (Hand Receipt) (IID Reg 40-3, 13-1)?</p> <p>9. Are CLS MES (aid bags) inventoried as part of after operations recovery by the combat lifesaver (Documentation must be available) (IID Reg 40-3, 13-1)?</p> <p>10. Are CLS MES (aid bags) inventoried every ninety (90) days to ensure completeness, and quality control of medical materiel (IID Reg 40-3, 13-1)?</p> <p>11. Is quality control information documented on DA Form 4998-R (Quality Control and Surveillance Record for TOE Medical Assemblages) card for all potency and dated medical materiel for each CLS MES (aid bag) (AR 40-61 and IID Reg 40-3, 13-1)?</p> <p>12. Are unit commanders and training personnel knowledgeable about the proper utilization of CLS's for training events (IID Reg 40-3, 12-1)?</p> | | |

Rating Standard – Combat Lifesaver:

- Commendable – All inspected items are rated a “GO”.
- Satisfactory – Items A (4, 10, 11), and B (1, 3, 5, 6, 8, 10) must be rated a “GO.”
- Needs Improvement – A “NO-GO” on any of the above critical inspection items.

Inspector's Comments Mandatory for all NO GO items. (Attach additional sheets if necessary.)

NOTES:

VERIFICATION

X _____
Unit POC's Signature, Name, Rank, Date

X _____
Inspector's Signature, Name, Rank, Date